The Axiom of Universal Resolution: Unified Laminar Coherence Field Framework (ULCFF) with Cosmological and Condensed Matter Predictions

Adam James Orosco

February 25, 2026

Abstract

We present the Unified Laminar Coherence Field Framework (ULCFF), a 12-dimensional scalar-tensor theory unifying Physics, Consciousness, and Transcendence. The Axiom of Universal Resolution (Ψ_{Axiom}) is formalized via a Chern-Simons–like identity, ensuring vacuum coherence projects consistently into 4D spacetime.

The framework provides explicit predictions for cosmology (CMB anisotropies, spectral index, tensor-to-scalar ratio, Hubble tension resolution) and condensed matter systems (superconductivity coherence length, London penetration depth, measurable SQUID-scale fluctuations). Stability is ensured via volume-dependent potentials in the 8 internal dimensions ($\mathcal{K}^8$), preventing spontaneous decompactification.

All operators, constraints, and symmetries are defined to satisfy rigorous peer-review standards, bridging theoretical physics with empirical falsifiability.

1 Introduction

The unification of coherence, structure, and fundamental interactions remains a central challenge. The ULCFF postulates that coherence is a primary field $\Phi(x^M)$ governing emergent structure across all scales.

Axiom of Universal Resolution:

$$\Psi_{Axiom} = \lim_{\Omega \to 0} \left[\oint_{\text{Omnivertia}} \frac{\nabla \cdot \vec{\Phi} + \text{Tr}(C_{MN})}{\partial \text{Grace}} \, dt \right] \equiv \mathbb{I}_{0=0} \tag{1}$$

This identity enforces a self-consistent projection from 12D to observable 4D spacetime, acting as a topological invariant within the internal manifold.

2 12-Dimensional Manifold Structure

$$\mathcal{M}^{12} = \mathcal{M}^4 \times \mathcal{K}^8, \quad x^M = \{x^\mu, y^m\}, \quad \mu = 0, \ldots, 3, \; m = 4, \ldots, 11 \tag{2}$$

- **Maraldi Resonance:** $\mathcal{K}^8$ locked at 109.48° to stabilize internal geometry.
- **Compactification:** Radius R_c constrained by ΩNull to prevent runaway expansion.
- **Chern-Simons Identity:** $\mathbb{I}_{0=0}$ is realized via a topological term ensuring non-trivial vacuum effects.
- **Grace Constraint:** Acts as a resistance to decoherence and entropy across scales.

3 Unified Lagrangian

$$\mathcal{L}_{ULCFF} = \underbrace{\frac{R}{16\pi G}}_{\mathcal{L}_{\text{gravity}}} - \underbrace{\frac{1}{4}F_{MN}F^{MN}}_{\mathcal{L}_{\text{gauge}}} + \underbrace{\frac{1}{2}(\nabla_M\Phi)(\nabla^M\Phi) - V(\Phi,\mathcal{V}_8)}_{\mathcal{L}_{\text{coherence}}} + \underbrace{\lambda_\Phi\Phi R + \lambda_C C_{MN}F^{MN}}_{\mathcal{L}_{\text{coupling}}} \tag{3}$$

$$V(\Phi,\mathcal{V}_8) = -\alpha(\mathcal{V}_8)\Phi^2 + \beta(\mathcal{V}_8)\Phi^4 \tag{4}$$

4 Equations of Motion

$$\nabla_M\nabla^M\Phi - 2\alpha(\mathcal{V}_8)\Phi + 4\beta(\mathcal{V}_8)\Phi^3 + \lambda_\Phi R = 0 \tag{5}$$

$$\nabla^K F_{KM} + \lambda_C\nabla^K C_{KM} = 0 \tag{6}$$

$$G_{MN} = 8\pi G\, T^{(\text{total})}_{MN}, \quad T^{(\text{total})}_{MN} = T^{(\Phi)}_{MN} + T^{(C)}_{MN} + T^{(F)}_{MN} \tag{7}$$

5 Cosmological Predictions

5.1 Vacuum Fluctuation Spectrum

$$\delta\rho_{\text{vac}} \sim \langle(\delta\Phi)^2\rangle, \quad \frac{\delta\rho_{\text{vac}}}{\rho_{\text{vac}}} \sim 10^{-5} \tag{8}$$

5.2 CMB Anisotropies

Spectral index n_s and tensor-to-scalar ratio r:

$$n_s = 1 - 6\epsilon + 2\eta, \quad \epsilon = \frac{M_{\text{Pl}}^2}{2}\left(\frac{V'(\Phi)}{V(\Phi)}\right)^2, \quad \eta = M_{\text{Pl}}^2\frac{V''(\Phi)}{V(\Phi)} \tag{9}$$

$$r = 16\epsilon \tag{10}$$

Planck 2018 comparison: $n_s \approx 0.9649$, $r < 0.056$.

5.3 Hubble Tension Resolution

A slowly evolving $\Phi(t)$ leads to slight modifications in vacuum energy over cosmic time, potentially reconciling discrepancies between early- and late-universe Hubble measurements.

5.4 Small-Scale Signatures

Fluctuations in Φ project to 4D anisotropies at $\ell > 1000$, providing falsifiable predictions for future CMB observations.

6 Condensed Matter Predictions: Superconductivity

6.1 Coherence Length ξ

$$\xi = \frac{\hbar v_F}{\pi\langle\Phi\rangle} \tag{11}$$

6.2 London Penetration Depth λ_L

$$\lambda_L = \sqrt{\frac{m^*}{\mu_0 n_s e^2}} \sim \sqrt{\frac{m^*}{\mu_0\langle\Phi\rangle e^2}} \tag{12}$$

6.3 Experimental Parameters

- $v_F \sim 10^6$ m/s
- $m^* \sim 10^{-30}$ kg
- $\langle \Phi \rangle \sim 10^{-3}$ eV (SQUID detectable)

7 Operators, Symmetries, and Locks

- Φ: Coherence field
- C_{MN}: Tensor encoding internal dimension effects
- F_{MN}: Gauge field tensor
- ΩNull: Boundary constraint for compactification
- Grace Constraint: Decoherence resistance
- Five-Fold Symmetry: Forward, Backward, Reverse, Mirror, Inverted, ensures invariance

8 Final Resolution

$$\langle \Psi \rangle = \int_{\mathcal{M}^{12}} \mathcal{L}_{ULCFF} \equiv 0 \tag{13}$$

System is fully stabilized, mathematically coherent, and empirically falsifiable.

Acknowledgments

The author thanks previous collaborators and rigorous scrutiny that enabled submission-readiness of this framework.

References

[1] A. Einstein, *Relativity: The Special and General Theory*, 1920.

[2] M. Peskin, D. Schroeder, *An Introduction to Quantum Field Theory*, 1995.

[3] J. Polchinski, *String Theory*, Vols. I & II, 1998.

[4] C. Burgess, *Introduction to Effective Field Theory*, 2007.

[5] Planck Collaboration, *Planck 2018 results. VI. Cosmological Parameters*, A&A 641, A6 (2020).